

Specifications:

Models	WBH-16	WBH-16F	WBH-16E	WBH-16EF	WBH-16EAWD	WBH-16EAWDF	WBH-21EF
Tire Type	Pneumatic	Foam fill	Pneumatic	Foam fill	Pneumatic	Foam fill	Foam fill
Wheelbase - in. (cm)	43 (109.2)	43 (109.2)	43 (109.2)	43 (109.2)	43 (109.2)	43 (109.2)	43 (109.2)
Width - Standard Dual Wheels in. (cm)	44 (111.7)	44 (111.7)	44 (111.7)	44 (111.7)	44 (111.7)	44 (111.7)	44 (111.7)
Width - Outer wheels removed	30.75 (78.10)	30.75 (78.10)	30.75 (78.10)	30.75 (78.10)	30.75 (78.10)	30.75 (78.10)	na
Length - in. (cm)	103 (261.6)	103 (261.6)	103 (261.6)	103 (261.6)	103 (261.6)	103 (261.6)	103 (261.6)
Height - in. (cm)	51 (129.5)	51 (129.5)	51 (129.5)	51 (129.5)	51 (129.5)	51 (129.5)	51 (129.5)
Weight - lb. (kg)	1243 (563.8)	1351 (612.8)	1255 (569.2)	1363 (618.2)	1485 (673.5)	1493 (677.2)	1492 (676.7)
Max. Load - Dual Wheels Lb. (kg)	2500 (1133.8)	2500 (1133.8)	2500 (1133.8)	2500 (1133.8)	2500 (1133.8)	2500 (1133.8)	3200 (1451)
Max. Load - Outer Wheels removed - Lb. (kg)	1000 (453)	1000 (453)	1000 (453)	1000 (453)	1000 (453)	1000 (453)	Not Available
Capacity CF. (Cu. mter)	16 (0.453)	16 (0.453)	16 (0.453)	16 (0.453)	16 (0.453)	16 (0.453)	21 (0.590)
Engine	Honda 11.9 HP (8.8kW)	Honda 11.9 HP (8.8kW)	Honda 11.9 HP (8.8kW)	Honda 11.9 HP (8.8kW)	Vanguard 18 HP (13.4kW)	Vanguard 18 HP (13.4kW)	Vanguard 18 HP (13.4kW)
Starting System	Recoil	Recoil	Recoil and Electric	Recoil and Electric	Recoil and Electric	Recoil and Electric	Recoil and Electric
Fuel capacity - gal (lt)	4.8 (18.1)	4.8 (18.1)	4.8 (18.1)	4.8 (18.1)	4.8 (18.1)	4.8 (18.1)	4.8 (18.1)
Travel speed - mph (km)	7.25 (11.6)	7.25 (11.6)	7.25 (11.6)	7.25 (11.6)	7.25 (11.6) Standard 5.3 (8.52) Traction assist 6.3 (10.13) AWD	7.25 (11.6) Standard 5.3 (8.52) Traction assist 6.3 (10.13) AWD	7.25 (11.6)
Bucket Material	Polyethylene	Polyethylene	Polyethylene	Polyethylene	Polyethylene	Polyethylene	Polyethylene
Gradeability	Max. 10% (6 degree)	Max. 10% (6 degree)	Max. 10% (6 degree)	Max. 10% (6 degree)	Max. 10% (6 degree)	Max. 10% (6 degree)	Max. 10% (6 degree)

* Engine power ratings are calculated by the individual engine manufacturer and the rating method may vary among engine manufacturers. Multiquip Inc. and its subsidiary companies makes no claim, representation or warranty as to the power rating of the engine on this equipment and disclaims any responsibility or liability of any kind whatsoever with respect to the accuracy of the engine power rating. Users are advised to consult the engine manufacturer's owners manual and its website for specific information regarding the engine power rating.

Your Multiquip dealer is:

Connect with us on

