



FEIN MULTIMASTER



MSx 315
MSx 636 II
MSxe 636 II

MULTIMASTER renovation system.

Powered by innovation



Select your MULTIMASTER package.

To ensure that you get the most out of your FEIN MULTIMASTER, this power tool is now available in different versions with various extensive equipment and accessories: START, SELECT, TOP and TOP-EXTRA. With the exception of the START package, all MULTIMASTERS are equipped with electronic speed control. The electronics increase user comfort during filigree work in model building and teak panelled deck repairs, for example. Whichever MULTIMASTER you decided upon, the price class of all packages boasts an excellent price-performance ratio. The entire range of accessories can of course be ordered individually and used in all versions.

START – the basic model.

The START set contains the most important accessories for accomplishing the most common tasks: sanding, scraping and sawing.

The START MULTIMASTER provides you with an extremely smooth-running professional delta sander for maximum sanding capacity, with a powerful scraper and with an oscillating saw.

SELECT – with added value.

The SELECT package includes the MULTIMASTER MSxe 636 II with electronics as well as two additional saw blades:

1 HSS segment saw blade for wood, putty or soft materials, for fibreglass, carbon fibre-reinforced plastic and sheet metal to 1 mm; 1 carbide-tipped segment saw blade for cutting out tile joints. This considerably broadens the FEIN MULTIMASTER's range of applications.

At a glance

- Saw, sand, scrape, separate, rasp, polish, cut, compact cement and many other tasks like a professional with just one single machine.
- Optimum handling thanks to ergonomic design and low weight.
- Extensive range of accessories available.



START contents.

1 MULTIMASTER MSx 636 II; 1 sanding pad; 5 of each type of sanding sheet, grain 60, 80, 120 and 180; 1 rigid stopping knife; 1 E-Cut saw blade, 35 mm; 1 key; mounting bolts.

Order reference 7 229 26 00



SELECT contents.

1 MULTIMASTER MSxe 636 II II with electronics; 1 sanding pad; 5 of each type of sanding sheet, grain 60, 80, 120 and 180; 1 rigid stopping knife; 1 E-Cut saw blade, 35 mm; 1 HSS segment saw blade; 1 carbide segment saw blade; 1 key; mounting bolts.

Order reference 7 229 27 50



TOP – the full works.

The additional carbide rasp can be used for sanding down tile adhesive, on natural and artificial stone, for removing graffiti from concrete and stone facades, for coarse sanding wood, etc. Plus, exclusive to the TOP package: the MINICUT & Diamond sharpening set with matching saw blades as well as everything you need to ensure dust-free working. In a sturdy metal carrying case.



Top contents.

1 MULTIMASTER MSxe 636 II with electronics, in metal carrying case and containing the SELECT equipment plus: 1 perforated carbide rasp; 1 MINICUT & Diamond sharpening set; 1 perforated sanding pad; 5 of each type of sanding sheet, perforated, grain 60, 80, 120 and 180; 1 suction device.

Order reference

7 229 27 51

TOP EXTRA – the combo package.

A first-class offer: the FEIN MULTIMASTER TOP and the dust extractor Dustex II in one package. The Dustex II puts forth an extremely high-performance and is also comfortable. With extensive basic accessories, automatic switch-on and with the possibility for wet and dry conditions. TOP EXTRA is the first choice for perfectionists who value a maximum of application options. Take advantage of immense savings by buying the package as opposed to the individual devices.



Top EXTRA contents.

1 MULTIMASTER MSxe 636 II with electronics, in metal carrying case, and containing the SELECT equipment plus: 1 perforated carbide rasp; 1 MINICUT & Diamond sharpening set; 1 perforated sanding pad; 5 of each type of sanding sheet, perforated, grain 60, 80, 120 and 180; 1 suction device, 1 dust extractor Dustex II (see page 16).

Order reference

7 229 27 52

MULTIMASTER MSxe 636 II, as included in the SELECT, TOP, and TOP EXTRA sets:

Power input	180 Watts
Sanding pad oscillations	12 000 – 21 000/min*
Cable with plug	5 m
Weight	1.1 kg
Sanding pad above corner	80 mm

*MSx 636 II (as included in the START set) without electronics with 21 000/min

All-round suitability.

A leap ahead through technical innovation.


During the oscillating action, each accessory you fit moves with a frequency of up to 21 000/min along a minimal arc of 3.2 angular degrees. This method of functioning provides unrivalled versatility with unique advantages.

- Work without kick-back into the smallest corners and on edges.
- High sanding capacity with virtually no pressure force required.
- Perfectly smooth running; the tool does not move on its own.
- Extremely versatile compared with competitive products through universal suitability for a wealth of applications.
- Very safe to handle.

For professionals and DIY hobbyists.

Its astonishing suitability for a wealth of different applications makes the FEIN MULTIMASTER one of the most versatile and therefore most sensible special tools on the market. Any application will produce professional results:

for renovating all around the house (windows, floor coverings, interior fittings, furniture, tiles, etc.), for car repairs, boat maintenance and model building.



Work without mains.

The battery-operated FEIN MULTIMASTER accu offers all the versatility of the FEIN MULTIMASTER. The 800-mAh rechargeable batteries are designed to ensure a long life, and the highly efficient mechanics of the appliance guarantee the same performance as the mains-operated version.

Price includes:

1 sanding pad; 5 of each type of sanding sheet, grain 60, 80, 120 and 180; 1 HSS segment saw blade; 1 rigid stopping knife; 1 rechargeable battery (800 mAh); 1 charger (one-hour charger); 1 key; mounting bolts.

Order reference 7 129 02



MULTIMASTER MSx 315 Battery-operated version

Voltage	9.6 V
Sanding pad oscillations	14 500/min
Weight	1.1 kg
Sanding pad above corner	80 mm

Quality asserts itself.

Throughout the world the MULTIMASTER has regularly been awarded the best marks.



Good Woodworking
'Best on Test'
April 2005

Красивые дома
MULTIMASTER
для профессионалов и любителей

PROFI TESTSIEGER
TIPS FÜR SELBERMÄCHER
FEIN MULTIMASTER

selber machen
TESTSIEGER
FEIN MULTIMASTER

WERTAWARD
FEIN TRIANGLE SANDER
The Australian WOODWORKER

FEINWERKZEUGE
Heimwerker
Bestseller

Fein Multimaster Profi-Schl.
Einstufige Klasse
Heimwerker
Test 1,0
Preis-Leistungs-quot. = sehr gut

selbst
ausprobiert

KlusVisie
VAARBLED VOOR HET PROFESSIONELE KLUUSEN- & ONDERHOUDSBEHOEFTE

MULTIMASTER news.

The MULTIMASTER programme is continuously complemented through new, innovative accessories. The new versatile universal E-Cut saw blade extends the selection.

The application possibilities of the MULTIMASTER are thereby ideally complemented.



One for all.

You are well equipped in any situation with the new universal E-Cut saw blade.

Use this saw blade to cut through hard- and softwood up to about 60mm cutting depth, non-ferrous metal, steel sheets, and pipes up to about 1.5 mm thickness, as well as nearly all plastics, plasterboard, and fibreglass.

The cropping of the saw blade makes it also possible to remove heating installations that are flush to the wall.

Even nails pose no problem for the robust teeth (bimetal). This makes the universal E-Cut saw blade especially suited for efficient use on construction sites.





Window renovation made easy.

When renovating your windows, the FEIN MULTIMASTER ensures perfect results and helps you save on costs, too. Sand well-maintained windows with a grain of 40 – 80. After this, smooth the surface in one go with grain 120 – 180. The enormous sanding capacity rapidly provides visible results. It's a good idea to sand as carefully as possible, to obtain a perfect appearance and

long-lasting results. For windows with flaking paint, damaged wood surfaces or worse-for-wear puttied edges, enjoy the benefits of the carbide rasp with a sanding capacity five times greater than grain 40.

Sanding windows.



Perfectly sanded surfaces with sanding sheets of grain 36 to 400.

Sanding sheet set

Includes: 10 of each type of sanding sheet with Velcro rapid attachment, grain 60, 80, 120, 180, 240.

Order reference 6 37 17 082 03 3



Sanding pad set

Pack of 2.

Order reference 6 38 06 129 02 6



No scratches.



The sanding pad with plastic backing plate prevents scratching.

Set of "Plastic" sanding pads

With plastic backing plate to avoid marks.

Pack of 2.

Order reference 6 38 06 153 02 2






For hard cases.

Coarse sanding with the carbide rasp.
Unbeatable sanding capacity and service life.

Carbide rasp

“carbide-coated” triangular, perforated, can also be used with dust extractor.

Order reference



6 37 31 001 01 4

Finger shape, coated on both sides.

Order reference



6 37 31 002 01 7

In tight spaces.



The flat sanding pad also gives you access to tight spaces, such as the slats of shutters in shop windows.

Set of “Flat” sanding pads

Pack of 2.

Order reference

6 38 06 142 02 9



Removing brittle putty.



Use the saw blades to remove putty from single and multi-layered glazing without the risk of glass breakages and without laborious preparatory work.

HSS segment saw blade

Ø 80 mm.

Order reference

6 35 02 106 01 5





Removing floor coverings.



Use the segment blade for cutting rigid materials, e.g. floor coverings of plastic, rubber, cardboard, leather, woven wire cloth, loop pile carpet and other carpet, and much more.

“Convex” segment blade

Order reference **6 39 03 192 01 4**



Sawing parquet floors.



A most varied selection of saw blades, including cropped and segment blades, for wood, putty and soft materials. With HSS saw blade also suitable for fibreglass and carbon fibre-reinforced plastic and sheet metal up to 1 mm.

HSS saw blade

Ø 80 mm.

Order reference

6 35 02 106 01 5



The perfect tool for working on floor coverings.

The FEIN MULTIMASTER provides an excellent service when removing old floor coverings and laying or renovating parquet flooring. Carpets, foam rubber, PVC or linoleum flooring can be removed more easily if it is first cut into strips. The FEIN MULTIMASTER with segment blade saves you a great deal of time and effort, compared with working with a carpet knife. And you can remove floor covering remains, bonding agent, tile adhesive or thick old paint effortlessly using the rigid stopping knife blade. Cement, concrete and stubborn remains are removed swiftly with the carbide rasp. For parquet floors, the delta sander element of the FEIN MULTIMASTER provides the ideal addition to a parquet sanding machine, as it gets into corners and edges. And with the appropriate saw blades, you can cut the parquet precisely to shape or trim wooden door frames.

Removing old adhesive.




Residual carpet and tile adhesive, scale, underseal and damaged coatings are easily removed with the rigid stopping knife.

Rigid stopping knife

Order reference

6 39 03 178 01 7



Oil patches and graffiti.



Remove oil patches from garage floors, graffiti from concrete and stone facades or other unwanted remains using the tungsten-coated rasp.

Carbide rasp

"carbide-coated"

Triangular, perforated, can also be used with dust extractor.

Order reference

6 37 31 001 01 4



Ideal for parquet specialists.



Grooves, cutouts and adapting parquet, laminate, fitted door jambs and skirting boards are easily achieved with the cropped E-Cut saw blades. The cropped saw blades enable you to work flush to the surface. The special toothing permits a superior cutting speed.

E-Cut saw blades

Cutting depth 50 mm

Width


35 mm

65 mm

Order reference

6 35 02 133 01 7

6 35 02 134 01 5





Saving time for interior fitters.


The MULTI MASTER greatly simplifies all repair and installation work. Plasterboard, wood, plastic and many other materials can be cut or pieces cut out of them with ease either before or after their assembly. A unique feature: the E-Cut saw blades. They allow precise and quick sawing, even in angles and corners. In especially small cutouts, use the MINICUT & Diamond sharpening set saw blades. For concave and convex surfaces, the profile sanding set enables you to achieve a top-quality sanding capacity. Sand down excess plaster stucco, cement or filler in no time with the carbide rasp.

Sanding down plaster stucco.



Use the carbide rasp to sand down cement, concrete, stone, plaster, tile adhesive, paint and wood.

Carbide rasp "tungsten-coated"
Triangular, perforated, can also be used with dust extractor.
Order reference 6 37 31 001 01 4



Cutting cable ducts.



For sawing wood, putty and soft materials. HSS saw blades also for fibreglass, carbon fibre-reinforced plastic and sheet metal up to 1 mm. Cropped saw blades enable you to work flush to the surface. The segment blades allow you to cut at right angles without overcutting.

HSS segment saw blade
Ø 80 mm.
Order reference 6 35 02 106 01 5



For electrical wiring.



Grooves, cutouts and adapting parquet, laminate, fitted door jambs and skirting boards are quickly achieved with the E-Cut saw blades.

E-Cut saw blades
Cutting depth 50 mm.
Width
35 mm **Order reference** 6 35 02 133 01 7
65 mm **Order reference** 6 35 02 134 01 5



MINICUT & Diamond sharpening set
1 saw blade holder, 2 saw blades (10 and 20 mm wide) for wood and other soft working materials, 2 HSS saw blades (10 and 20 mm wide) for non-ferrous metals and plastic, 1 normal diamond file, 1 clamping plate 15°.
Order reference 6 39 01 025 03 5





Professional assembly and restoration of furniture.

The FEIN MULTIMASTER is an excellent helper for assembling fitted furniture and kitchens, for the E-Cut saw blades provide easy access to every spot. You want to make recesses in ready-fit cupboards? No problem. You don't have to spend time taking them down.

Now the FEIN MULTIMASTER gets quickly down to the job in repairing furniture and restoring antiques, too. Concave and convex surfaces can be finished easily and quickly with the profile sanding set.

Profile sanding.



Six replaceable profiles of the profile sanding set enable you to sand cramped spaces, in grooves and on profiles – completely comfortable and with 300% improvement in sanding capacity. The flexible hollow sections perfectly adapt to various conditions.

Profile sanding set

For fine sanding work in cramped spaces, in grooves and on profiles. High sanding capacity, faster and simpler exchanging of profiles and sanding disks. Complete set includes 1 holder and 6 different profiles: 1 V-form for 90° angle, 1 trapezium form for tongue-and-groove connections, 1 for straight profiles, 1 convex form (large), 1 concave and 1 convex form (small) each as well as 5 of each type of sanding sheet, grain 80, 120 and 180.

Order reference 6 38 06 183 01 3



Grooves for furniture fitting.



Grooves, cut-outs and modifications are easily achieved with the E-Cut saw blades.

E-Cut saw blades

Cutting depth 50 mm.

Width

35 mm

65 mm

Order reference

6 35 02 133 01 7

6 35 02 134 01 5



Finishing touches during restoration.



Ideal for upholsterers: sawing off and removing metal clamps with the cropped HSS saw blade.

HSS saw blade "cropped"

Ø
90 mm

Order reference

6 35 02 144 01 4





Replacing tiles – the easy way.

Both the diamond saw blades and the tungsten coated segment saw blades are among the most coveted items in the accessory range of the FEIN MULTIMASTER. They will help you to replace damaged wall or floor tiles rapidly and without difficulty. The joints can be cut out with a minimum amount of dust. There is virtually no likelihood whatsoever of damaging neighbouring tiles. Remove the old tile adhesive with the carbide rasp or with the blade of the stopping knife. Diamond or carbide tools are also perfect for interior fittings to make grooves for cable ducts, e.g. in plaster, pumice or aerated concrete stone.

Removing tiles.



Use the diamond saw blade to cut out marble and concrete trass joints as well as to make grooves in plastered walls, dry wall, sheet rock, porous concrete.

Diamond saw blade

Ø 63 mm.

Order reference

6 35 02 105 01 2




Diamond segment saw blade

Cropped, segmented.

Order reference

6 35 02 114 01 7




The carbide segment saw blade is the economical alternative to diamond tools.

Carbide-tipped segment saw blade

Cropped, segmented.

Order reference

6 35 02 118 01 6



Sanding adhesive.



The carbide rasp produces optimum results when sanding down tile adhesive, sanding edges of tiles, coarse sanding wood, filler, paint and much more.

Carbide rasp "tungsten-coated"

Triangular, perforated, can also be used with dust extractor.

Order reference

6 37 31 001 01 4



Removing sealants.



Use the flexible stopping knife to remove elastic sealants, paint, adhesive residues, stickers in living quarters and bathrooms etc. Pack of 2.

Flexible stopping knife

Order reference

6 39 03 165 01 3





Clear the decks.

Professional boat builders and proud boat owners will find their work made considerably easier with FEIN tools. With the HSS saw blades, the FEIN MULTIMASTER cuts through all common boat materials such as wood and fibreglass and carbon fibre-reinforced plastic. The FEIN E-Cut saw blades cut through wood and fibreglass-reinforced plastic at high speed. Their special shape makes them ideal for those inaccessible places. An when space is particularly tight, the MINICUT & Diamond sharpening set saw blades will do the trick. Our range for above and below the deck is completed by the cutter blade for panelled deck sealing materials.

Cutting out marine glue and polyurethane.



The cutter blade ideal for rapid and secure cutting out of panelled deck sealing materials is also suitable for problem areas such as cabins, rails, gunwales, cleats and curves.

Cutter blade

Blade width
3 mm
4 mm
5 mm

Order reference
6 39 03 200 01 7
6 39 03 201 01 6
6 39 03 202 01 9



High cutting power.



E-Cut saw blades for universal application with wood, fibreglass-reinforced plastic and many other plastics. High cutting speed. Ideal for use on fitted parts. No free space required alongside or behind the work piece.

E-Cut saw blades

Cutting depth 50 mm.
Width
35 mm

Order reference
6 35 02 133 01 7



Repairing the hull.



The HSS saw blades help you to saw fibreglass, carbon fibre-reinforced plastic, wood and sheet metal up to 1 mm. Cropped saw blades enable you to work flush to the surface. The segment blades allow you to cut at right angles without overcutting.

HSS saw blades

Ø
80 mm

Order reference
6 35 02 097 02 7



Added fittings.



For sawing tasks in places that are not easily accessible, or for small grooves. Cutouts from as little as 10 mm wide. Exceptionally suitable for all sharpening tasks, in combination with the diamond file and the 15° clamping plate.

MINICUT & Diamond sharpening set

1 saw blade holder, 2 saw blades (10 and 20 mm wide) for wood, 2 HSS saw blades (10 and 20 mm wide) for non-ferrous metals and plastic, 1 normal diamond file, 1 clamping plate 15°.

Order reference

6 39 01 025 03 5





Car repairs of all kinds.

Sanding off paint.



The sanding sheets for universal use on metal, wood, fibre-reinforced plastic, plastic, paint, filler, soldered joints.

Sanding sheet set

Includes: 10 of each type of sanding sheet, unperforated, with Velcro rapid attachment, grain 60, 80, 120, 180, 240.
Order reference 6 37 17 082 03 3



Sanding pad set

Pack of 2, unperforated.
Order reference 6 38 06 129 02 6



Even in the tightest corners.



The sanding finger is particularly narrow and long: for use in extremely tight and hidden spots, in channels, grooves, openings and folds. The sanding finger can be bent to work on any work piece. Pack of 2.

Sanding finger

Height
7 mm.

Order reference
6 38 06 159 02 3



Sanding finger

As above but with Velcro attachment on top and underside.
 Height
2 mm.
Order reference
6 38 06 158 02 9

For precise sectional repairs.



Use the HSS saw blade for sawing sheet metal up to 1.0 mm, wood, putty, carbon fibre and fibre-reinforced plastic. Cropped saw blades enable you to work flush to the surface. The segment blades allow you to cut at right angles without overcutting.

HSS saw blade

∅
80 mm

Order reference
6 35 02 097 02 7



HSS saw blade "cropped"

∅
90 mm

Order reference
6 35 02 144 01 4



The FEIN MULTIMASTER features very special capabilities. This is evident in the way the HSS saw blades cut precisely through body panel sheet metal or plastic parts. The cutting lines – a mere 0.5 mm wide – are free from burrs and distortions and do not produce flying sparks. The saw can be plunged into the material to be cut at any point in the body with no preparatory work.

If necessary, you can determine the cutting depth using a depth stop ring. And the FEIN MULTIMASTER offers neat work not just with sawing, but also for sanding. In addition, you can use the rigid stopping knife blade to scrape off underseal before carrying out welding tasks. Please turn to pages 17 to 20 for further items in our extensive range of accessories.

Polishing car parts to a bright shine.




Metal parts are perfectly polished with the felt polishing pads.

Set of felt polishing pads

Pack of 2.

Order reference

6 38 06 140 02 7



Clean removal of underseal.




The rigid stopping knife can be used to remove underseal, residual carpet and tile glue, scale, damaged coatings, etc.

Rigid stopping knife

Order reference

6 39 03 178 01 7



Added fittings.



For sawing tasks in places that are not easily accessible or for small grooves. Cutouts from as little as 10 mm wide. Exceptionally suitable for all filing and sharpening tasks, in combination with the diamond file and the 15° clamping plate. This means it is ideal for all added fittings and installations.

MINICUT & Diamond sharpening set

1 saw blade holder, 2 saw blades (10 and 20 mm wide) for wood and other soft materials, 2 HSS saw blades (10 and 20 mm wide) for non-ferrous metals and plastic, 1 normal diamond file, 1 clamping plate 15°.

Order reference

6 39 01 025 03 5



For the most demanding quality requirements.



Especially for working on aluminium rims, for removing dust inclusions, run paint or overspray on wood, plastic, metal, etc.

“Supersoft” sanding pad

Pack of 2.

Order reference

6 38 06 141 02 6



“Supersoft” sanding sheets

Only for use in connection with sanding pad 6 38 06 141 02 6. Available in grain 240, 320, 400, 500, pack of 50.

Grain
400

Order reference
6 37 17 128 01 7





For hobby, house and garden.

The MULTIMASTER is the tool which always provides new, surprising possibilities. For example, working on stone, sawing grooves from 10 mm in model building or for sharpening tools.

Sanding stone.



The "Stone" sanding set is universally suitable for sanding stone and stone products. Includes:

5 of each type of sanding sheet, unperforated, grain 40, 80, 120, 220, 320, 400, 600, 800; 1 of each type of sanding pad, unperforated, with aluminium and plastic backing plate, 1 felt polishing pad.

"Stone" sanding set

Order reference

6 38 06 129 06 7



Sharpening.



The additional clamping plate, with a 15° sharpening angle, now also enables you to fit diamond files into the MINICUT holder. This enables you to evenly sharpen knives, tools, garden implements and much more.

MINICUT & Diamond sharpening set

1 saw blade holder, 2 saw blades (10 and 20 mm wide) for wood and other soft working materials, 2 HSS saw blades (10 and 20 mm wide) for non-ferrous metals and plastic, 1 normal diamond file, 1 clamping plate 15°.

Order reference

6 39 01 025 03 5



Completely dust-free sanding.

Now you can avoid health risks when sanding down paint and lacquer. The dust remover for the FEIN MULTIMASTER allows you to breathe freely. The dust is directly extracted through the perforated sanding sheet and additional holes in the sanding pad. The result: work virtually dust-free, with no annoying dust residues left behind. And an additional secondary benefit of this system is the longer service life of the sanding sheets.

Dust bites the dust: FEIN „Dustex II“.

The ideal addition to the FEIN MULTIMASTER. Suitable for all accessories with vacuuming function. The Dustex II is even more powerful and user-friendly! With a socket on the device, automatic on/off, 5 guide rolls for unlimited freedom of movement, extensive basic equipment and the option of being used in wet or dry conditions, it is perfectly suited for tasks in your workshop, on your car and for your hobby.



Dustex II

Power input	1300 Watt
Air flow rate	3300 l/min
Max. vacuum	230 mbar
Tank volume	24 l
Max. rating	2000 W
Weight	7 kg
Cable with plug	6 m
Order reference	9 20 20

Price includes:

5 m suction hose, Ø 36 mm; 1 floor nozzle; 2 extension pipes; 1 flat nozzle; 1 upholstery nozzle; 1 adapter for FEIN power tools, 1 universal power tool adapter; 1 filter bag.

Accessories at a glance.

Carrying case.



Carrying case filled

The metal carrying case with universal equipment transforms the SELECT package to a TOP version. 1 sanding pad, perforated for dust extractor, 5 of each type of sanding sheet, perforated, grain 60, 80, 120, 180. 1 dust extractor complete with 2 hose nozzles for suction hose Ø 27/32 mm plus 2 adapters for connection to common domestic vacuum cleaner, 1 MINICUT & Diamond sharpening set, 1 carbide rasp (triangular).

Order reference 3 39 01 099 03 4

Carrying case unfilled

Metal case with practical inner spacing, without machine and accessories. Optimally suited for storing the MULTIMASTER START and SELECT.

Order reference 3 39 01 099 01 2

Sawing.

HSS saw blades

Ø	No. in pack	Order reference
63 mm	1	6 35 02 096 02 3
63 mm	2	6 35 02 096 01 7
80 mm	1	6 35 02 097 02 7
80 mm	2	6 35 02 097 01 1

Segment saw blade HSS

Ø 80 mm **Order reference** 6 35 02 106 01 5

HSS saw blade

"cropped"
Ø 90 mm **Order reference** 6 35 02 144 01 4

Segment saw blade

"cropped"
Only for soft materials.
Ø 84 mm

Order reference 6 35 02 113 01 9

Depth stop ring

For uncropped saw blades.
Order reference 3 26 07 058 01 8

Cutting paste

Lubricant for cutting sheet metal.

Order reference 3 21 32 020 12 9

E-Cut standard saw blades

Crossed toothing for all wood, plasterboard, and plastics jobs.

Length 50 mm

Width/mm	No. in pack	Order reference
35	1	6 35 02 133 01 7
35	3	6 35 02 133 03 0

65	1	6 35 02 134 01 5
65	3	6 35 02 134 02 5

E-Cut precision saw blades

Double-row original Japan toothing, for top-precision cuts and clean cutting edges even freely by hand into wood, plasterboard, and plastics.

Length 50 mm

Width/mm	No. in pack	Order reference
35	1	6 35 02 126 01 3
35	3	6 35 02 126 03 0

65	1	6 35 02 127 01 7
65	3	6 35 02 127 02 0

E-Cut universal saw blades

Bi-metal teeth, cranked, also suitable for radii, high speed cut, sheet metal (400N/mm²) up to 2 mm and plastics, aluminium profiles, copper pipes, wood, plasterboard, and almost all plastics.

Length 60 mm

Width/mm	No. in pack	Order reference
29	1	6 35 02 151 01 8
29	3	6 35 02 151 02 0

MINICUT & Diamond sharpening set

Includes: 1 saw blade holder, 2 saw blades (10 and 20 mm wide) for wood and other soft materials, 2 HSS saw blades (10 and 20 mm wide) for non-ferrous metals and plastic, 1 normal diamond file, 1 clamping plate 15°.
Order reference 6 39 01 025 03 5

MINICUT saw blades

For wood and other soft materials, plunge depth 30 mm, pack of 2.

Width	Order reference
10 mm	6 35 02 132 01 3
20 mm	6 35 02 131 01 0

HSS, for non-ferrous metal and plastic, plunge depth 20 mm, pack of 2.

Width	Order reference
10 mm	6 35 02 130 01 1
20 mm	6 35 02 129 01 9

Diamond file

Grain	Width	Order reference
extra fine	10 mm	6 37 06 014 02 6
fine	20 mm	6 37 06 013 02 8
normal	20 mm	6 37 06 012 02 4

Sanding.

Sanding pad set

Pack of 2, unperforated.
Order reference 6 38 06 129 02 6

Sanding pad set

"Plastic"
With plastic backing plate to avoid marks, pack of 2
Order reference 6 38 06 153 02 2

Set of "Flat" sanding pads

For very narrow openings (e.g. slats on cupboards, shop windows, etc.), pack of 2.
Order reference 6 38 06 142 02 9

Sanding sheet set

Includes: 10 of each type of sanding sheet, unperforated, with Velcro rapid attachment, grain 60, 80, 120, 180, 240.
Order reference 6 37 17 082 03 3

Sanding sheets

Unperforated with Velcro rapid attachment, can be used universally on almost all materials, such as wood, metal, fibreglass, plastic, lacquer, filler, soldering joints, leather, etc., fully bonded with artificial resin, high sanding capacity, corundum.



Grain	Pack of 5 Order reference 6 37 17 ...	Pack of 50 Order reference 6 37 17 ...
36	... 086 04 8	... 086 01 0
40	... 081 04 6	... 081 01 8
60	... 082 04 9	... 082 01 1
80	... 083 04 3	... 083 01 5
100	... 084 04 1	... 084 01 3
120	... 085 04 5	... 085 01 7
150	... 087 04 2	... 087 01 4
180	... 088 04 0	... 088 01 2
220	... 089 04 4	... 089 01 6
240	... 090 04 6	... 090 01 8
280	... 091 04 5	... 091 01 7
320	... 092 04 8	... 092 01 0
400	... 093 04 2	... 093 01 4

"Supersoft" sanding pad

For special applications. Only the sanding sheets mentioned below should be used with this sanding pad.
Pack of 2.

Order reference 6 38 06 141 02 6

"Supersoft" sanding sheets

Special sanding sheets for sanding aluminium rims, for removing dust inclusions, run paint and overspray from wood, plastic and metal. Only use with sanding pad 6 38 06 141 02 6.



Grain	No. in pack	Order reference
240	50	6 37 17 126 01 5
320	50	6 37 17 127 01 9
400	50	6 37 17 128 01 7
500	50	6 37 17 179 01 6

"Stone" sanding set

Universally suitable for sanding stone and stone products. Includes: 5 of each type of sanding sheet, grain 40, 80, 120, 220, 320, 400, 600, 800; 1 of each type of sanding pad with aluminium and plastic backing plate; 1 felt polishing pad.

Order reference 6 38 06 129 06 7

"Stone" sanding sheets

Special sanding sheets for coarse and fine sanding of natural and artificial stone.



Korn	No. in pack	Order reference
40	50	6 37 17 120 01 4
80	50	6 37 17 121 01 3
120	50	6 37 17 122 01 6
220	50	6 37 17 123 01 0
320	50	6 37 17 124 01 8
400	50	6 37 17 125 01 2
600	50	6 37 17 175 01 7
800	50	6 37 17 176 01 0

Profile sanding set

Includes 1 holder and 6 different profiles:
1 V-form for 90°-angle,
1 trapezium form for tongue-and-groove connections,
1 for straight profiles,
1 convex form (large), 1 concave and
1 convex form (small) each as well as 5 sanding sheets grain 80, 120 and 180.



Order reference 6 38 06 183 01 3

Sand paper

In line with profile sanding set. For universal use on almost all materials, such as wood, metal, fibreglass, plastic, paint, filler, soldering joints, leather, etc., high sanding capacity, pack of 25.

Grain	Order reference
80	6 37 17 217 01 6
120	6 37 17 218 01 4
180	6 37 17 219 01 8

Sanding finger

Especially long and narrow sanding fingers for use in extremely tight and hidden spots, in channels, grooves, openings, folds and joints. Also for mould-making, in concave and convex forms. The sanding finger can be bent to work on any work piece. Pack of 2.



Height	Order reference
7 mm	6 38 06 159 02 3
1 mm	6 38 06 157 02 1

Sanding finger

As above, but with Velcro attachment on top and underside. Pack of 2.

Height	Order reference
2 mm	6 38 06 158 02 9

Sanding sheets for sanding finger

With Velcro rapid attachment, fully bonded with artificial resin, high sanding capacity, corundum. Application: Wood, metal, soldered joints, fibreglass-reinforced plastic, plastic, paint, filler, leather.
Pack of 20.



Grain	Order reference
40	6 37 17 184 01 2
60	6 37 17 185 01 6
80	6 37 17 186 01 9
100	6 37 17 187 01 3
120	6 37 17 188 01 1
150	6 37 17 189 01 5
180	6 37 17 190 01 7
220	6 37 17 191 01 6
240	6 37 17 192 01 9
280	6 37 17 193 01 3
320	6 37 17 194 01 1
400	6 37 17 195 01 5

Carbide rasp

"tungsten-coated"
Perforated for dust extractor, triangular.



Order reference 6 37 31 001 01 4

Carbide rasp

Finger shape, coated on both sides.



Order reference 6 37 31 002 01 7

Sanding with dust extractor.

Dust extractor

2 sanding pads, perforated;
5 of each type of sanding sheet, perforated, grain 60, 80 and 120; 1 extractor hood with suction tube;
2 hose nozzles for hose connection Ø 27 and 32 mm plus 2 adapters for connection to the most common domestic vacuum cleaners.
For MSx 636 II and MSxe 636 II.



Order reference 9 26 02 063 02 3

Adapter hose

For connecting the dust extractor to the most common domestic vacuum cleaners. The adapter hose is pushed onto the hose nozzle for the Ø 27 mm hose connection.

Model	Order reference
thin	3 06 05 110 00 8
thick	3 06 05 109 00 6

Sanding pad set

Pack of 2, perforated.

Order reference 6 38 06 136 02 9



Sanding sheets

Perforated, with Velcro rapid attachment, fully bonded with artificial resin, high sanding capacity, corundum. For all-round use with dust extractor on practically all materials, such as wood, metal, fibreglass-reinforced plastic, plastic, paint, filler, soldered joints, leather.



Grain	Pack of 5	Pack of 50
	Order reference	Order reference
	6 37 17 ...	6 37 17 ...
36	... 107 04 9	... 107 01 1
40	... 108 04 7	... 108 01 9
60	... 109 04 1	... 109 01 3
80	... 110 04 3	... 110 01 5
100	... 111 04 2	... 111 01 4
120	... 112 04 5	... 112 01 7
150	... 113 04 9	... 113 01 1
180	... 114 04 7	... 114 01 9
220	... 115 04 1	... 115 01 3
240	... 116 04 4	... 116 01 6
280	... 117 04 8	... 117 01 0
320	... 118 04 6	... 118 01 8
400	... 119 04 0	... 119 01 2

Sanding sheet set

10 of each type of sanding sheet, perforated with Velcro rapid attachment, corundum, grain 60, 80, 120, 180 and 240.

Order reference 6 37 17 109 03 5

Filter paper for Dustex II

Pack of 5

Order reference 3 13 22 781 01 7

Polishing.

Set of felt polishing pads

For polishing metal parts, e.g. door and furniture fittings made of brass, etc., as well as for polishing and decorative polishing of stone and stone products. Gelcoat layers on boats can also be polished. Pack of 2.

Order reference 6 38 06 140 02 7



Polishing agents for various materials are available from qualified stockists.

Scraping.

Rigid stopping knife

For removing residual carpet and tile adhesive, scale, underseal, damaged coatings, etc.

Order reference 6 39 03 178 01 7



Flexible stopping knife

For removing old paint, residual adhesive, stickers, elastic sealants from bathrooms and living quarters etc.

Order reference 6 39 03 165 01 3



Cutting out.

Carbide-tipped segment saw blade

For cutting through marble and concrete trass joints. Cropped saw blades enable you to work flush to the surface. The segment blades allow you to cut at right angles without overcutting.

Ø 63 mm.

Order reference 6 35 02 118 01 6



Diamond saw blade

For cutting through marble and concrete trass joints for small-scale repair of tiled surfaces in interiors and bathrooms, minimal dust generation and no risk of damage to neighbouring tiles; also suitable for cutting grooves in plaster, bricks, pumice stone, honeycomb stone and aerated concrete for installing electrical wiring. Diamond coating ensures a long life. Also suitable for use with very old and hard sealant materials.

Ø 63 mm.

Order reference 6 35 02 105 01 2



Diamond segment saw blade

For cutting through marble and concrete trass joints in corners without overcutting. Cropped shape also permits work flush to the surface.

Order reference 6 35 02 114 01 7



Cleaning block

Rhomb for cleaning of carbide and diamond tools.

Order reference 6 37 19 007 01 0



Cutting.

Segment blade "Concave"

For cutting soft materials such as felt, leather and polystyrene.

Order reference 6 39 03 193 01 8



Segment blade "Convex"

For cutting rigid materials such as floor panels of plastic, linoleum, rubber, cardboard, leather, woven wire cloth, looped fabric/carpet, and much more.

Order reference 6 39 03 192 01 4



Panelled deck repairs.

Cutter blade

For cutting out panelled deck sealant materials rapidly and safely. Also for problem areas such as cabins, rails, gunwales, cleats and curves.

Blade width

3 mm

4 mm

5 mm

Order reference

6 39 03 200 01 7

6 39 03 201 01 6

6 39 03 202 01 9



Consolidating concrete.

Concrete compactor

For compacting concrete when concreting smaller foundations. Air inclusions are reliably prevented.

Order reference 6 39 01 008 01 0



General accessories.

Set of clamping screws

For all FEIN MULTIMASTER accessories. Pack of 2.

Order reference 4 30 33 087 06 5

Intermediate ring

Can be used for all FEIN MULTIMASTER accessories with star mount. The form-fitting mount provides up to 40% better torque transfer.

Order reference 3 01 09 189 01 0

Fein MULTIMASTER cordless accessory.



Carrying case for the FEIN MULTIMASTER ACCU

1 rechargeable battery (800 mAh), 1 flat sanding plate for very narrow openings, 5 of each type of sanding sheet, grain 60, 80, 120, 180, 240, 320; 3 sanding fingers with 20 sanding sheets, grain 80; 1 carbide rasp (triangular)

Order reference 3 39 01 099 08 1

Battery charger

Charging time 40–100 minutes, power consumption 50 VA, charging current max. 1.7 A, weight 1.5 kg, cable length 1.2 m.

Order reference 9 26 04 050 01 0

Batteries

NiCd, 9.6 V, 800 mAh, 0.375 kg.

Order reference
9 26 04 007 02 6



NiMh, 9.6 V, 1700 mAh, 0.395 kg.

Order reference
9 26 04 080 02 3



Dust extractor

For MSx 315.


Order reference 9 26 02 065 025

Clip

For attaching to belt loop.

Order reference 3 21 25 058 00 0

If you wish to have a demonstration of our tools, please contact your local FEIN stockist.



Germany: C. & E. FEIN GmbH, Leuschnerstr. 43, 70176 Stuttgart, Telefon 07 11 66 65-191, Fax -229

Great Britain: FEIN Industrial Power Tools U.K. Ltd., 4 Badby Park, Heartlands Business Park, Daventry, Northants NN11 5YT, Tel. 01327 308730

USA: FEIN Power Tools Inc., 1030 Alcon Street, Pittsburgh, PA 15220, Tel. 412.922.8886, Toll Free: 1.800.441.9878

Canada: FEIN Canadian Power Tool Company, 323 Traders Boulevard East Mississauga, Ontario L4Z 2E5, Tel. (905) 890-1390, Toll Free: 1-800-265-2581

FEIN Canadian Power Tool Company, 2810 De Miniac St. Laurent, Quebec H4S 1K9, Tel. (514) 331-7390, Toll Free: 1-800-789-8181

Australia: FEIN Australasia Pty. Ltd., P.O. Box 287,

Unit 2/ 110 Bonds Road, Riverwood N.S.W. 2210, Tel. 02 9534 3533

South Africa: FEIN Power Tools South Africa (Pty) Ltd.,

P.O. Box 1411 Bramley 2018, 1st Floor Delpark House, 77 Fifth Street, Wynberg, Johannesburg, Tel. 011 4442228

www.fein.com

Powered by innovation

