



Entry level straight shaft brushcutter

Technical data



Low weight, compact brushcutter with fully adjustable bike handle for larger mowing tasks. Practical control handle with integral throttle trigger and slide control run/stop selector.

Versions

FS 55

Price

---**

** Price on request from your STIHL Approved Dealer

The version(s) available in each country may differ from the above range and specifications; specific details may be subject to change without notice. Please ask your local STIHL Approved Dealer for further information.

Product variations

FS 55 R | With loop handle



Vibration levels left/right with metal blade m/s^2 ¹⁾ 6,8/5,6

Displacement cm^3 27,2

Power output kW/bhp	0,75/1,0
Weight kg ²⁾	5,0
Cutting blade	Grass cutting blade 230-2
Fuel capacity l	0,33
Vibration levels left/right m/s ² ¹⁾	5,5/5,5
Overall length m ³⁾	1,72
Sound pressure level dB(A) ⁴⁾	94,0
Sound power level dB(A) ⁴⁾	105,0

1) (K) factor according to Dir. 2006/42/EC = 2m/s²

2) without cutting tool and deflector

3) without tool

4) Power factor according to DIR2006/42/EC=2.5(dB(A))

The version(s) available in each country may differ from the above range and specifications; specific details may be subject to change without notice. Please ask your local STIHL Approved Dealer for further information.



Bike handle

When used in conjunction with a harness, the bike handle enables a smooth mowing action. The bike handle allows the machine to be easily guided, making it ideal for working on large areas and thus reducing fatigue.



Multi-function control handle

Easy, comfortable thumb-operated control means the operator's hand never leaves the handle.



Shoulder strap / carrying system

Using a STIHL shoulder strap or carrying harness with soft padding makes work more comfortable, particularly during lengthy jobs.



STIHL ErgoStart (E)

A genuine advance in easy starting. STIHL ErgoStart (E) cuts the effort required to start the tool by half, while the starter cord can be pulled at just one third of the normal force. All it takes is 2 fingers and a gentle pull action.

STIHL ElastoStart

STIHL ElastoStart reduces the shock caused by the compression of the engine during starting. The compression shock is taken away from the user's joints and muscles through a spring or rubber element in the starter handle.



We present some Product Technology features in [product technology](#) .

The version(s) available in each country may differ from the above range and specifications; specific details may be subject to change without notice. Please ask your local STIHL Approved Dealer for further information.